



➔ Check with the authorities in charge of wildlife to confirm regulations related to trap use in your trapping area

Types of cable (galvanized steel)


Target species	Diameter (inches)	Construction
+ Lynx/Bobcat Fox/Coyote	1/16 and 5/64	1 x 19 and 7 x 7
Wolf	3/32 and 5/64	1 x 19 and 7 x 7

Recommended design and components




Types of breakaway devices

S-Hook + J-Hook



Camlock with teeth and S-Hook

Camlock with breakaway ferrule (single crimp)



See page 15 for specifications of components



Best Trapping Practices


GENERAL INFORMATION
KILLING NECK SNARES



FUR INSTITUTE OF CANADA

➔ Check with the authorities in charge of wildlife to confirm regulations related to trap use in your trapping area

Recommended Parts



Torsion springs

Model	Foxes	Lynx/ Bobcat	Coyote	Wolf
*Stinger 22 Mag Economy	✓	✓	✓	
*Stinger 22 Mag Deluxe	✓	✓	✓	✓
*Stinger 33 Mag Deluxe			✓	✓
**Lights Out A1	✓	✓	✓	✓
**Lights Out Signature 75			✓	✓

*All Stinger springs to be mounted with #2 trigger.

**All Lights out springs to be mounted with Lights Out incorporated trigger.

Camlocks with teeth (e.g. Bridger Sure-Hold Camlock with teeth) or other designs that will stay in place while the torsion spring is opening. They must be of the same diameter as the snare cable.


Breakaway devices

Breakaway model	Hold foxes/lynx/ bobcat	Hold coyote/ foxes/lynx/ bobcat	Hold wolf/coyote/ foxes/lynx/ bobcat	Release white-tailed deer/mule/ caribou	Release elk/moose
				(Caught by a leg)	
Senneker S-Hook 265	✓			✓	✓
Senneker S-Hook 385	✓	✓		✓	✓
Senneker S-Hook 750	✓	✓			✓
Senneker S-Hook 1000	✓	✓	✓		✓
Snare Shop					
S-Hook 285	✓	✓		✓	✓
S-Hook 525	✓	✓	✓		✓
Sullivan S-Hook 280	✓	✓		✓	✓
J-Hook 285	✓	✓		✓	✓
J-Hook 350	✓	✓			✓
Fastach #150 or Ferrule/single crimp					
1/16" cable	✓	✓		✓	✓
3/32" cable	✓	✓	✓		✓
5/64" cable	✓	✓	✓		✓
Fastach	✓	✓		✓	✓


Note: the breakaway model numbers may not match the values obtained by standardized testing (e.g. S-Hook 285 releases at 335 lb).

➔ Check with the authorities in charge of wildlife to confirm regulations related to trap use in your trapping area


Strike zone (Canids + Felids)



Snare set sites and attachment points vs. strike zone (Canids + Felids)



Loop diameters and setting heights



Species	A	B
Fox	18 cm (7")	18 cm (7")
Bobcat	20.5 cm (8")	20.5 cm (8")
Lynx	20.5 cm (8")	30.5 cm (12")
Coyote	25 cm (10")	25 cm (10 to 12")
Wolf	35 cm (14")	35 cm (14")
Wolf (Northern)	40.5 cm (16")	45.5 cm (18")

